

OFFICE OF THE COLLECTOR, BALASORE
(Education Section)


QUOTATION CALL NOTICE

N~~10~~12078 DATE: 15.10.2023

**PROCUREMENT OF FURNITURE FOR ODISHA ADSRAHA VIDYALAYAS IN
BALASORE DISTRICT**

Sealed quotations (Technical & Financial) in the prescribed format are invited from the intending Registered Firms/Authorized Dealers/ Whole sellers/Govt. Stores/ Agencies/ Manufacturers/ Companies having valid GSTN, Authorization Certification with experience certificates about supply of the furniture items to any Govt./ Govt. Undertaking offices/ institutions. The interested Bidders shall submit the technical & financial Bid along with the tender paper cost of **Rs.10,000/- (Non-refundable)** latest by **28.10.2023 (5.30PM)** to the office of the **District Education Officer, Balasore**. The Tender Papers shall be opened on **29.10.2023 at 11.00 AM** at the **M.G. Planning Conference Hall, Balasore**. For detailed terms & conditions, kindly visit the District website www.baleswar.nic.in.

The authority reserves the right to reject any or all tenders without assigning any reason thereof.


Collector-cum-Chairman,
OAVs, Balasore

TERMS & CONDITIONS

1. Sealed Quotations for supply of the furniture items shown in the attached Quotation Call Notice are invited from the registered firms/ authorized dealers /whole sellers/Govt. stores having valid sales tax/ VAT registration and having their own existence of manufacturing units. The tender should be sent under sealed cover marked as **"TENDER FOR THE SUPPLY OF FURNITURE ITEMS FOR ODISHA ADARSHA VIDYALAYAS IN BALASORE DISTRICT"**. The last date for receiving the sealed Quotation in the Address- District Education Officer, Collectorate Campus, Balasore-756001 through Regd. Post or Speed Post is **29.10.2023 by 5.30PM** and will be opened in the **at 11.00 AM on Dtd 29.10.2023 at M.G. Planning Conference Hall, NIC, Balasore.**
2. The Cost of the Tender paper is **Rs.10,000/-** (Rupees Ten thousand) only (Non-Refundable) inclusive of VAT will be deposited in shape of DD drawn in favour of District Education Officer, Balasore payable at Axis Bank, Balasore.
3. The rate should be include excise duty, Sales Tax/VAT, and any other taxes, or imposition whatever liable in respect of the supplier including transportations. The items should be supplied at all OAVs point.
4. Upload Manufacturer authorization: Wherever Authorized Distributors are submitting the bid, Manufacturers Authorization Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the Tender.
5. Availability of Service Centres: Tenderer must have a Functional Service Centre in the Locality of Consignee's Location in case of carry-in warranty. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
6. There should not be any overwriting, corrections in the tender. If a figure is to be amended, it should be neatly scored out and then revised figure should be written above and the same should be attested with full signature of the party and date. In the absence of the attested signature the tender is liable to be rejected.
7. The undersigned does not bind himself to accept the lowest tender and reserves the right to accept the tender in whole or in part i.e with respect to all the items as per the specifications mentioned in the attached Notice.
8. On acceptance of the tender it will become a contract and the contractor shall be bound by the terms and conditions of the tender and the provision of G.F.R.
9. The Tenderer should submit his/her tender form along with **Earnest Money Deposit (FMD)** amounting **Rs.2,38,000/- (Rupees Two Lakh Thirty Eight)** only in shape of Bank Guarantee in favour of District Education Officer, Balasore payable at Axis Bank, Balasore. In case tender paper submitted is not accompanied by EMD, the Tender paper shall be summarily rejected. The Earnest Money Deposit will be forfeited in the event of failure to comply with the contract. The EMD money will be refunded to the Unsuccessful Bidder within 30days from the date of award of the Tender. The EMD shall be forfeited in case of withdrawal of the Tender once submitted. The EMD shall be refunded to the Successful Bidder after receiving of the Security Deposit. In the event of the tender being accepted the successful bidder will deposit **Security Money to the extent of 5%** of the total cost within the stipulated time in shape of DD in favour of **District Education Officer, Balasore payable at Axis Bank, Balasore.**
10. If the contractor fails to supply the items within the time stipulated in the letter of acceptance/supply order issued by the undersigned, the undersigned shall be at liberty to purchase the items from the market or get the rest of the contract completed by any other person / firm and the difference of price, if any, shall be deducted from the earnest money/ security deposit and in case any amount in excess of the security deposit is paid by the undersigned, the contractor shall be liable to pay this amount.
11. **It is not compulsory on the part of the undersigned to purchase the items for which the tender is being called.** The supply order will be placed as per requirement. The contractor is required to supply the quantity of items as mentioned in the supply order, as per the sample and specifications. The quality should invariably be maintained throughout the contract period as per sample and specifications. Materials cannot be accepted if the items being found substandard or differ from the sample and specifications.
12. The Brand/Make other than the specification given in the tender schedule will not be accepted.

13. The rate quoted by the contractor shall hold good up to **One Year** from the date of execution of agreement. **No amount amendment in the rate except increase/decrease in the rate of sales Tax/VAT** during the period of supplies will be accepted. For the branded item, if there would be some free gift schemes, marked on the packing, the same would liable to be supplied with the item on free of cost and also it should be mentioned in the bill. Rates should not be more than the MRP/ Company price list. If the MRP/ Company price will be less than the approved rate the payment will be made as per the MRP/ Company price list only. **Snickering of MRP is not allowed.**
14. In the event of acceptance of the tender and placing of the order for purchase, the items ordered for would be subject to an inspection by the undersigned or his/her representative and are liable to be rejected if the item supplied do not confirm to the approved specifications.
15. The amount of security deposit shall be retained by the District Education Officer, Balasore for a period of **six months** from the date of completion of supplies as a safeguard against any defect appearing in the items supplied within the period & the same will be refunded in the shape of A/C pay Cheque only.
16. In case of authorized dealers the authorization certificate issued by the Manufacturer/Company should be enclosed along with the tender. The tenderer for supply of items are required to submit the samples of each item along with the tender for verification. **The approved sample will be kept in this Office for verification during the supply of the items which is non refundable.**
17. The payment will be made in the shape of A/C payee Cheque, only after verification of the supplied items by the quality checking committee/undersigned and scrutiny of bills and after full supply as per the order placed with the party.
18. The rate should be quoted in terms of metric weight measure i.e., quintal/kg/Liter/pcs as the case may be.
19. The approved party will have to make an agreement on non-judicial stamp paper of Rs.10/- as per the terms and condition proforma prepared by the District Education Office, Balasore within the time given by the undersigned failing which the tender will be rejected and EMD will be forfeited.
20. In case the time and date of opening of tenders is changed, the same will be displayed on the Notice Board of District Education Office, Balasore.
21. The tender should be accepted from the person / firms / companies who is actually having the manufacturing unit of Furniture items for which he/she has submitted the tender and not from the general order supplier/enterprisers.
22. Tender who would not comply with the above conditions is liable to be rejected and all rights reserved with the District Education Officer, Balasore to reject, cancel and amend any or all tenders/approved rates at any time without assigning any reason thereof. All disputes in this regard is in the Court of Balasore jurisdiction only.
23. Earnest Money Deposit, Technical Bid & Financial Bid shall be contained separate sealed envelopes clearly marked in the envelope as **EMD, Technical Bid & Financial Bid** as per the norms specified.
24. Dedicated /Toll Free Telephone No. for Service Support: Tenderer must have Dedicated/Toll Free Telephone No. for Service Support.
25. Escalation Matrix for Service Support: Tenderer must provide Escalation Matrix of Telephone Numbers for Service Support.
26. ISO 9001: The Tenderer offered products must have ISO 9001 certification.
27. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Tenderer has to complete the required Service / Rectification within 03 days time limit. If the Tenderer fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the Tenderer. Tenderer can deposit the penalty to the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Security Money. Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Tenderer besides forfeiture of Security Money.
28. Preference will be given to the Tenderer having Green Guard & Green Pro Certificate.
29. The sealed tender should invariably contain the following documents:
 - I. Up-to-date VAT clearance certificate in Form No 612 issued by the competent authority for all items. The undersigned may ask to submit the original certificate for verification before placing the supply order.

- II. Signature of the Tenderer in all pages with date and seal along with the undertaking and signatures of witnesses given below.
- III. Must be submitted the ISO 9001 Certificate and having OEM Registration Certificate.
- IV. These instructions to Tenderer are to be signed by the Tenderer and returned in originals with the tender with all enclosures.
- V. E.M.D in shape of Bank Draft /Banker Cheque as specified in the SI.No.09.
- VI. The specification with rate duly filled in should be kept in.
- VII. The Tender paper can be downloaded from the District Website: www.baleswar.nic.in.


Collector, Balasore

UNDERTAKING BY THE TENDERER

I/We M/s _____ will abide all the Terms & Conditions from the SI.No.1 to 21 (V) incorporated in OAVS Procurement Guidelines for future as prescribed by the Odisha Adarsha Vidyalaya Sangathan, Bhubaneswar under School & Mass Education Deptt., Odisha.

Witness (Signature, Name & Address)

Full signature with seal

1.

Name of the proprietor

2.

Seal of the firm

ANNEXURE-I
TECHNICAL BID

FOR SUPPLY OF FURNITURE ITEMS TO ODISHA ADARSHA VIDYALAYAS IN BALASORE DISTRICT

Space for
affixing
Passport size
photograph

1. Name : _____
2. Details of Earnest Money Deposit B.D. No. _____
Date _____ of Rs. _____ of _____ Bank payable at

3. Name of Proprietor/ Partner/ Company/ : _____
(Name of all Directors/ Partners & members shall be mentioned): _____

4. Full Address of the Registered Office : _____

Telephone No: _____
Mobile No.: _____
FAX No.: _____
E-mail Address: _____
5. Full address of operating / Branch Office : _____

Telephone No: _____
Mobile No.: _____
FAX No.: _____
E-mail Address: _____
6. Name , Mobile No., E-mail address of the Authorized officer/ Person to coordinate with the office
of the District Education Officer, Balasore : _____

Full Signature of the Tenderer with Seal & Date

7. PAN No. & Year of filing the latest return (enclose copy of latest return filed).
8. Registration No. (in case of company) : _____
9. Experience details : _____

10. Affidavits mentioning that he/she/firm/company is not Blacklisted by any Govt. Organisation/
Undertaking or that no criminal or vigilance case is pending.
11. TAN No. : _____
(Enclose copy of latest return filed)
12. Additional information, if any (Attach separate sheet, if required) : _____

I do hereby undertake that, I do agree to the terms and conditions of the Tender Paper and Document and quoted the rate for supply of furniture items at OAVs point. I have enclosed the required documents duly signed and attested by the Notary Public as specified in Checklist (Annexure-II).

Date :
Place :

Signature of Tenderer/ Authorized Person
Name :
Seal :
Telephone No.:
Mobile No.:
E-mail Id:

Full Signature of the Tenderer with Seal & Date

ANEXURE-II

CHECK LIST

DOCUMENT TO BE ATTACHED WITH THE TECHNICAL BID

Sl.No.	Name of the Document	Put "Tick" mark
01	Tender & Tender Document	
02	Technical Bid	
03	EMD & Cost of Tender Paper	
04	Copy of Certificate of Registration in case of Company	
05	Authorization letter in submitting the Tender paper on behalf the partnership Firm/ Company	
06	Experience Certificate	
07	Copy of the ISO Registration Certificate	
08	Copy of the latest Income-Tax return (Assessment Year-2023-24) and copy of PAN	
09	Affidavit mentioning that he/she/firm/company is not Black listed by any Govt. Organization/ Undertaking or that any criminal or vigilance case is pending against the Tenderer.	

Date :

Place :

Signature of Tenderer/ Authorized Person

Name :

Seal :

Telephone No.:

Mobile No.:

E-mail Id:

Full Signature of the Tenderer with Seal & Date

ANNEXURE-III

DECLARATION

DECLARATION TO BE ATTACHED WITH THE TECHNICAL BID

1. I Son/ Daughter/ Wife of Sri
..... Proprietor / Director/ Partner/
Authorized signatory of the Tenderer, mentioned above and am competent to
sign this declaration and execute this tender document.
2. I have carefully read and understood all the terms and conditions of the tender
and undertake to abide by them.
3. The information / documents furnished along with above application are true
and authentic to the best of my knowledge and belief. I/We, am/are well aware
of the facts that furnishing of any false information / fabricated document would
lead to rejection of my tender at any stage besides liabilities towards
prosecution under appropriate law.

Date :

Signature of Tenderer/ Authorized Person

Place :

Name :

Seal :

Telephone No.:

Mobile No.:

E-mail Id:

Full Signature of the Tenderer with Seal & Date

ANNEXURE-IV
FINANCIAL BID

FOR SUPPLY OF FURNITURE ITEMS TO ODISHA ADARSHA VIDYALAYAS IN BALASORE DISTRICT

I do hereby tender my single Quoted rate for each furniture items as per the specifications floated in Tender Notice including all charges and agree to abide by the terms and conditions mentioned in the Tender paper.

QUOTED RATE PER UNIT

Sl. No.	Items	No. of Units	Quoted Rate per Unit @Rs. (including all charges)	Total Rate (in Rs.)
1	Double Seated Dual Desk	966		
2	Teachers Class-room Chair	54		
3	Teachers Class-room Table	54		
4	Teachers Common-room Chair	90		
5	Teachers Common-room Table	18		
6	Principal Chair	08		
7	Principal Table	07		
8	Office Chair	32		
9	Office Table	07		
10	Welded Almirah	54		
Total Cost (Rs.)				

Full Signature of the Tenderer with Seal & Date

ANNEXURE – V

I will abide by all the Terms & Conditions incorporated in OAVS Procurement Guidelines for furniture as prescribed by the Odisha Adarsha Vidyalaya Sangathan, Bhubaneswar under School & Mass Education Department, Odisha, Bhubaneswar.

Full Signature of the Tenderer with Seal & Date

SPECIFICATIONS
DESK-CUM-BENCH-2 SEATER

GENERIC	
TYPE OF DESKING	INTEGRATED DESK CUM SEATING WITH SHELF/ STORAGE UNDER DESK
DESKING CONFIGURATION	TWO SEATER
LENGTH OF DESKING, SEATING AND BACKREST (if provided) IN MM (+/-10 mm)	1050
DESK/ BENCH SPECIFICATIONS	
MATERIAL OF DESK TOP +/- 2mm (FOR SHELF/ STORAGE +/- 4 mm)	18 mm THICK PRELAMINATED PARTICLE BOARD
MATERIAL OF SUPPORT STRUCTURE OR SIDE PANNEL	MILD STEEL SQUARE SECTION OF OUTSIDE SIDE MINIMUM 25 mm AND WALL THICKNESS MINIMUM 1.2 mm
HEIGHT OF DESK TOP IN mm (+/- 5 mm)	750
WIDTH OF DESK TOP IN mm (+/- 5 mm)	380
SEATING SPECIFICATION	
MATERIAL OF SEAT AND BACKREST (if provide) (+/- 2 mm(for back rest +/- 4 mm)	18 mm THICK PRELAMINATED PARTICLE BOARD
MATERIAL OF SUPPORT STRUCTURE OR SIDE PANNEL	MILD STEEL SQUARE SECTION OF OUTSIDE SIDE MINIMUM 25 mm AND WALL THICKNESS MINIMUM 1.2 mm
MATERIAL OF SEAT CUSHION	WITHOUT CUSHION
WIDTH OF SEATING IN mm (+/- 10mm)	340
Height of seat in MM (+/- 10 mm)	440
WIDTH OF BACKREST IF PROVIDE IN mm (+/- 5 mm)	260
BACK SUPPORT FOR SEATING OF SAME MATERIAL AS SEATING	WITHOUT CUSHION
WARRANTY	minimum 1 Year

Furniture & Fixtures

Facility	Details
Student Seating	Compact dual seaters of white colour & blue border
Teacher Desk	Table, Chair of white colour & blue border

OFFICE TABLE	
MATERIAL	Injection moulded polypropylene
Handles Material	2.0 mm
Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)	0.6 mm M S Sheet (Not as per IS 8126)
Storage Unit and Drawer Units Material	Plastic
Shoes Material	
GENERIC	one side
Storage	triple storage
Total Number of Storage Units	
Type of Storage Units	
Lock on all storage units	100 KG
Loading capacity of table top in KG (± 5 Kg)	18 mm thick prelaminate Particle Board (Not as per IS 8126)
Table Top Material and Thickness (± 2 mm)	Mild steel ERW tube 38 mm x 25 mm x 1.2 mm thick
Padestal (Under structure)	1205 millimeter
Table Top Length ± 10 (mm)	800 millimeter
Table Top Width ± 10 (mm)	725 millimeter
Table Height ± 5 (mm)	
DIMENSION	355 millimeter
Width of Storage Unit ± 5 (mm)	550 millimeter
Depth of Storage Unit ± 10 (mm)	670 mm
Overall Height of Storage Units ± 10 mm	140 mm
Height of smallest Storage Compartment / Drawer ± 3 mm	SAME AS SMALLEST
Height of medium size Storage Compartment / Drawer ± 5 mm	315 mm
Height of Largest Storage Compartment / Drawer ± 5 mm	355 mm
Width of Locker / Cupboard type Storage unit	560 MM
Depth of Locker / Cupboard type Storage unit	
CERTIFICATION	
Test reports to be furnished to buyer on demand	
OEM of offered product with ISO certificate	Minimum 1 Year
WARRANTY	

[Handwritten signatures and marks]

PRINCIPAL TABLE	
MATERIAL	
Handles Material	Injection moulded polypropylene
Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)	2.0 mm
Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
Shoes Material	PVC
GENERIC	
Storage	one side
Total Number of Storage Units	triple storage
Cup Board / Locker type Storage Units	N.A
Lock on all storage units	Provided
Loading capacity of table top in KG (±5 Kg)	100 KG
Table Top Material and Thickness (±2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
Padestal (Under structure)	Mild steel ERW tube 38 mm x 25 mm x 1.2 mm thick
Table Top Length ±10(mm)	1500 millimeter
Table Top Width ±10(mm)	750 millimeter
Table Height ±5(mm)	725 millimeter
DIMENSION	
Width of Storage Unit ±5(mm)	355 millimeter
Depth of Storage Unit ±10(mm)	550 millimeter
Overall Height of Storage Units ±10 mm	670 mm
Height of smallest Storage Compartment / Drawer ±3 mm	140 mm
Height of medium size Storage Compartment / Drawer ±5 mm	140 mm
Height of Largest Storage Compartment / Drawer ±5 mm	315 mm
Width of Locker / Cupboard type Storage unit	355 mm
Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	
Test reports to be furnished to buyer on demand	YES
OEM of offered product with certificate	
WARRANTY	Minimum 1 Year

[Handwritten signatures and initials]

OFFICE CHAIR

GENERIC	With Arms
Chair Type	Padded with Polyurethane Foam
Type of Seat and Backrest	Cantilever
Frame Type	Without
Castors	
MATERIAL	polyster
Material of Fabric Back Cover	12 mm
Thickness of Plywood used in Backrest IN MM (± 1 mm)	ERW pipe
Frame Material	45 Kg/Cub.M
Density of Polyurethane Foam Used in Seat ± 2 (Kg/Cub M)	fabric
Material of Fabric of Seat Cover	45 Kg/Cub.M
Density of Polyurethane Foam Used in Backrest ± 2 (Kg/Cub M)	12 mm
Thickness of Plywood used in Seat ± 1 (mm)	250 Gram per Sq Meter
GSM/Thickness of Fabric ± 5 (Gram per Sq Meter)	polypropelene
Arm Material	40 mm
Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	50 mm
Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	nylon rubber
Shoe Type	
DIMENSION	2 mm thick 25 mm tube
Size of Material (mm)	890 mm
Chair Height ± 15 (mm)	450 mm
Seat Depth ± 10 (mm)	470 mm
Seat Width ± 10 (mm)	460
Seat Height IN MM ± 5 (mm)	480 mm
Backrest Width ± 10 (mm)	550 mm
Backrest Height ± 10 (mm)	250 mm
Arm Length ± 5 (mm)	50 mm
Arm Width ± 2 (mm)	
CERTIFICATION	
Test reports to be furnished to buyer on demand	
WARRANTY	Minimum 1 Year

[Handwritten signature and notes]

PRINCIPAL CHAIR	
MATERIAL	
Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
Arm Material	Proopylene
seat material	PU Foam covered with Fabric
Density of PU foam used in seat KG per Cu Meter (+/- 3)	45
Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45
Material of Fabric Back Cover / Material for Backrest	100% polyester fabric
Material of Fabric of Seat Cover	100% polyester fabric
GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram
GENERAL	
Chair Type	central-tilt synchronic
Tilt Tension Adjustment	Yes
Height Adjustment ± 5 (mm)	up to 120 mm
Arm	With
Type of backrest support	backrest symmetrical lumber support
Arm Type	Fixed
Colour of Fabric for Seat and Backrest	black
Ergonomic Seat Design	Yes
Back type	push back
Backrest is made of two pcs injection mouldied frame	Backrest is made of one piece injection moulded frame
Seat type	fixed
Seat is curved	Yes
Locking mechanism	Yes
Type of locking	upright locking
Number of arm movement	N.A
Lumber support	N.A
DIMENSION	
Overall Chair Height ± 15 mm	990
Backrest Height ± 15 mm	600 millimeter
Backrest Width ± 10 mm	480 millimeter
Seat Height ± 15 mm	420
Seat Width ± 10 mm	480
Seat Depth ± 10 mm	480 millimeter
Thickness of MS Plate Joining the under structure with Seat	1.2 millimeter
Thickness of Plywood used In Seat ± 1 (mm)	12 mm
Thickness of Plywood used in Backrest ± 1 (mm)	12 mm
Padestal Size (Diameter in mm) +/- 10 mm	650
Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	45 mm
Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	45 mm
CERTIFICATION	
OEM of offered product with ISO certification	
WARRANTY	Minimum 1 Year


Ok noted *ambika* *re*

TEACHER COMMON ROOM TABLE

GENERIC	
Seating Capacity	6 SEATER
Shape of Table Top	Rectangular
Type of Socket Box	No Socket Box
Wire entry System	N.A
Type of understructure	Leg type
Number of Legs per Seat	4
Leg Top Attachment	Powder coated MS plate of thickness 3.0 mm
At Top Leg assembled together with	3 mm thick M S sheet powder coated
MATERIAL	
Material of Table Top	Three Layer Prelaminated Particle Boards Of Grade-II Type-II Of IS:12823/Latest
Material of Legs	MS pipe of 75 mm width and 25 mm thick.
DIMENSION	
Length in mm (Select NA in case of Round Table) ± 10 (mm)	1850
Width in mm (Diameter in case of Round Table) ± 10 (mm)	900
Height in mm (± 5 mm)	750 mm
Thickness of Top ± 2 (mm)	25 millimeter
Height of Modesty Panel ± 5 (mm)	NA
COLOUR & FINISH	
Packing	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap
CERTIFICATION	
Test reports to be furnished to buyer on demand	
WARRANTY	Minimum 1 Year

Devi *Arora* *Gandhi* *Je*

TEACHER CLASS ROOM TABLE	
GENERIC	
Shape of Table	Square
Seating Capacity	4
MATERIAL	
Material of top	Prelaminated board
Material of understructure	Powder Coated MS
Material of top finish	Teak laminate/ply with polish
DIMENSION	
Length of table ± 10 mm (Diameter in case of Round)	900 mm
Depth of table ± 10 mm	900 mm
Height of table ± 10 mm	750 mm
Thickness of top in mm (+/- 5%)	25 mm
Shape and Dimension of Base	4 Leg MS finish
MISC	
Number of vertical support	4
Under Structure Diameter of Pipes (Width in case of Square sections) in mm	40
Vertical Support Diameter of Pipes (Width in case of Square sections) in mm	40
CERTIFICATION	
Test reports to be furnished to buyer on demand	
OEM of offered product with ISO certificate	
WARRANTY	Minimum 1 Year


 The bottom of the page contains several handwritten signatures and initials in black ink. From left to right, there is a signature that appears to be 'D. ...', followed by 'Ravi', 'Ambika', and a large stylized signature 'Jee'.

TEACHER CLASS ROOM TABLE

GENERIC	
Shape of Table	Square
Seating Capacity	4
MATERIAL	
Material of top	Prelaminated board
Material of understructure	Powder Coated MS
Material of top finish	Teak laminate/ply with polish
DIMENSION	
Length of table ± 10 mm (Diameter in case of Round)	900 mm
Depth of table ± 10 mm	900 mm
Height of table ± 10 mm	750 mm
Thickness of top in mm (+/- 5%)	25 mm
Shape and Dimension of Base	4 Leg MS finish
MISC	
Number of vertical support	4
Under Structure Diameter of Pipes (Width in case of Square sections) in mm	40
Vertical Support Diameter of Pipes (Width in case of Square sections) in mm	40 "
CERTIFICATION	
Test reports to be furnished to buyer on demand	
OEM of offered product with ISO certificate	
WARRANTY	Minimum 1 Year

Dr. [Signature]
[Signature]
[Signature]
[Signature]

TEACHER CLASS ROOM CHAIR	
GENERIC	
Chair Type	With Arms
Type of Seat and Backrest	Injection moulded Polypropylene
Frame Type	4 Legs
MATERIAL	
Frame Material	MS ERW tube
Arm Material	polypropelene
Shoe Type	nylon rubber
DIMENSION	
Size of Material (mm)	16 gauge tubular pipe
Chair Height ± 15 (mm)	850 mm
Seat Depth ± 10 (mm)	530 MM
Seat Width ± 10 (mm)	520 MM
Seat Height IN MM ± 5 (mm)	450
Backrest Width ± 10 (mm)	520 mm
Backrest Height ± 10 (mm)	400 mm
Arm Length ± 5 (mm)	200 mm
Arm Width ± 2 (mm)	30 mm
CERTIFICATION	
Test reports to be furnished to buyer on demand	
OEM of offered product with ISO certificate	
WARRANTY	Minimum 1 Year