



Quotation Call notice documentary for supply & transporting along with installation/mounting, testing, commissioning in a complete phase of “Kirloskar/Jakson(Cummins)/Mahindra” Make 63 & 25 KVA STD DG SET with movable trolley based // KIRLOSKAR/ CROMPTON make 10 HP Pump set & TEXMO make 100 mm DURABLE SUCTION PIPE with all its attachments to be supplied for the Office of **BALASORE MUNICIPALITY, BALASORE.**

No. 137 /

Dated :- 04-01-24 /

**2 STEP QUOTATION CALL NOTICE (QCN) (Technical & Financial)**

The Executive Officer, Balasore Municipality on behalf of Balasore Municipal Council, Balasore invites double bid Sealed Quotation from intending/ Authorised supplying firms regarding “Supply & transporting along with installation/Mounting, testing, commissioning in a complete phase of “Kirloskar/ Jakson (Cummins)/Mahindra” Make 63 & 25 KVA STD DG SET with movable trolley based // KIRLOSKAR/CROMPTON make 10 HP Pump set & TEXMO make 100 mm Durable Suction Pipe with all its attachments to be supplied for the Office of Balasore Municipality, Balasore”. The Quotation Schedule, terms & conditions, specification and other necessary documents can be download and obtained from the official website of Balasore District, <http://baleswar.nic.in> w.e.f DT: 05-01-24 to 12-01-24 upto 03:00 PM.

The Quotationer shall apply in his letter pad along with the requisite documents as furnished below & on the top of the envelope be mentioned as “Supply & transporting along with installation/Mounting, testing, commissioning in a complete phase of “Kirloskar/ Jakson (Cummins)/Mahindra” Make 63 & 25 KVA STD DG SET with movable trolley based // KIRLOSKAR/CROMPTON make 10 HP Pump set & TEXMO make 100 mm Durable Suction Pipe with all its attachments to be supplied for the Office of Balasore Municipality, Balasore”. which should be mouth Sealed. The sealed Tender will be received up to 03.30 P.M on or before dt. 12-01-24 in the Tender Box kept in the Office Chamber of the Executive Officer, Balasore Municipality OR through Regd. Post/Speed Post only which will be Opened at 11:30 AM on dt. 16-01-24 by the Undersigned in his Office Chamber in presence of the quotationer or their authorized representatives who may be present at the time of opening of the tender. The authority will not be held responsible for the postal delay if any.( in delivery of the documents and non-receipt of the same in schedule date & time.

The Authority reserves the right to reject any or all the quotations without assigning any reason thereof. The quotations should be entertained on the next working day if the schedule date bears any holiday or absence of the authority for any un-expected reason.

  
Executive Officer,  
Balasore Municipality.

Contd—to Pg-02

**STEPS BELOW DESCRIBING THE SPECIFICATION IN DETAILS WHICH SHOULD FOLLOWED IN MANDATE:**

**ANNEXURE-I**

**SALIENT GENSET SPECIFICATION & TECHNICAL FEATURES WHICH SHALL BE FOLLOWED IN MANDATE AND HAD PLACED FOR KIND APPROVAL.**

**TECHNICAL DATA:-**

PRIME RATING AT RATED RPM(Revolution per Minute) (As per ISO8528)	KVA	25
	KW	20
Frequency	HZ	50
Power factor	Lagging	0.8
Voltage	V	230(10-Phase) & 415(30-Phase)
Governing Class (As per ISO 8528 PART-V)		G2
Noise Level	dB A	< 75
Fuel Consumption*	At 100% Load	5.8
	At 75% Load	4.4
	At 50% Load	3.2
Fuel Tank Capacity	Ltrs	65
Over all dimensions of Genset ( L X W X H) ^	MM	2500 X 950 X 1294
Dry Weight of Genset with canopy (approx.....) ^	Kg	1040
Wet Weight of Genset with canopy (approx.....) ^	Kg	1090
Electrical Battery Starting Voltage	Volts-DC	12


**ENGINE:-**

Engine Model		3R1040T G1
Rated Output (Prime Continuous) rating as per ISO 8528-1)	KW	24
	HP	42
Number of Cylinder	In Number	3
Cubic capacity 2	Ltrs	3.12
Bore X Stroke	Mm	105 X 120
Rated Speed	RPM	1500
Aspiration	NA/TC/TA	TC
Lube Oil Change Period	Hrs	500
Lube Oil Sump Capacity Maximum	Ltrs	8
Coolant Capacity	Ltrs	14.5

Contd---to Pg-03

**ALTERNATOR:-**

Insulation Class		Class H
████████████████████		
Alternator Efficiency (At 100% load) 0.8 pf **		89
████████████████████		
Permissible Voltage Dip at full load 0.8 pf lag		< 16%

  
**Executive Officer,**  
**Balalore Municipality.**

**SALIENT GENSET SPECIFICATION & TECHNICAL FEATURES WHICH SHALL BE FOLLOWED IN MANDATE AND HAD PLACED FOR KIND APPROVAL.**

**TECHNICAL DATA:-**

PRIME RATING AT RATED RPM(Revolution per Minute) (As per ISO8528)	KVA	62.5--63
	KW	50
Frequency	HZ	50
Power factor	Lagging	0.8
Voltage	V	230(10-Phase) & 415(30-Phase)
Governing Class (As per ISO 8528 PART-V)		G2
Noise Level	d b A	< 75
Fuel Consumption*	At 100% Load	14.1
	At 75% Load	11.3
	At 50% Load	7.5
Fuel Tank Capacity	Ltrs	150
Over all dimensions of Genset ( L X W X H)^	MM	2900 X 1100 X 1581
Dry Weight of Genset with canopy (approx.....) ^	Kg	1470
Wet Weight of Genset with canopy (approx.....) ^	Kg	1600
████████████████████	████████	
Electrical Battery Starting Voltage	Volts-DC	12

**ENGINE:-**

Engine Model		4R810TA G1
Rated Output (Prime Continuous) rating as per ISO 8528-1)	KW	61
	HP	83
Number of Cylinder	In Number	4
	Ltrs	3.24
Cubic capacity 2	Mm	96 X 112
Bore X Stroke	RPM	1500
Rated Speed	NA/TC/TA	TA
Aspiration	Hrs	500
Lube Oil Change Period	Ltrs	10
Lube Oil Sump Capacity Maximum	Ltrs	17.5
Coolant Capacity		

**ALTERNATOR:-**

Insulation Class		Class H
Alternator Efficiency (At 100% load) 0.8 pf **		91
Permissible Voltage Dip at full load 0.8 pf lag		< 20 %

  
Executive Officer,  
Balasore Municipality.

**Notes Below:**

Annexure I, II & III should be meticulously maintained and the required documents & information should be submitted with proposals or else the proposals shall be out right rejected by the Authority. Most important part is that the proposals should be prepared in two separate packets (Technical Bid & Financial Bid), while opening the technical bid if any information or document found absence, this should be signifies as un-completed application & to be treated as rejected. The financial bid of that particular bidder should not be opened. If that bidder qualifies to submit the absence requirement on the evaluation table at once, that may be put under consideration with kind Orders of the authority or else the application to be viewed as cancelled.

  
Executive Officer,  
Balasore Municipality

**ANNEXURE-II**  
**APPLICATION FORM TO BE FILLED BY THE APPLICANTS & TO SUBMIT**  
**WITH THE PROPOSALS IN TECHNICAL BID**

19. Name of the Firms with address :-
20. GST Registration No (submit hard copy). :-
21. PAN No (submit hard copy):-
22. FY for which the TDS return filled (submit hard copy):-
23. FY for which the GST return filled (submit hard copy):-
24. Copy of previous experiences certificate (submit hard copy):-
25. Firm Registration certificate (submit hard copy):-
26. Name of the Brand/Make for which the Bid is being submitted:-
27. Company authorization Certificate (submit hard copy):-
28. Copy ensured warranty as per Company specification(submit hard copy):-
29. Assurance for Complete maintenance during warranty period(submit hard copy):-
30. Name & detail address of Service centre in this locality to be furnished:-
31. Undertaking for not being black listed: (submit hard copy):-
32. DD Number & Date with amount for Paper Cost to be submitted:-
33. DD Number & Date with amount for EMD to be submitted:-
34. Contact Number of the Quotationer for correspondence:-
35. Valid ISO enrolment Certificate in hard Copy to be submitted:-
36. Copy of "ANNEXURE-I" to be filled as per specification required & to be submitted with the Bid packet:

Mobile \_\_\_\_\_ Telephone \_\_\_\_\_

“ Certified that the information submitted above is true to the best of my Knowledge and belief.” (Hard copy of each documents should be enclosed)

**Seal & Signature of the  
Quotationer/Tenderer**


**ANNEXURE-III**  
**FORMAT TO BE FILLED FOR SUBMISSION OF RATES INCLUDING**  
**COMPLETE INSTALLATION AS PROPOSALS IN SHAPE OF FINANCIAL BID**

SL NO	ITEM DESCRIPTION	MAKE	MRP VALUE FOR 01 SINGLE UNIT (Including GST) (In Rupees)	QUOTED RATE PER SINGLE UNIT (INCLUDING GST) (In Rupees)
01	10 HP Pump set	KIRLOSKAR/ CROMPTON (Pump (+) Motor in 01 Platform)along with all its accessories	Rs.	Rs.
02	25 KVA DG SET MOUNTED ON WHEELED TROLLY WHICH CAN BE TRANSFERABLE BY TRACTOR VEHICLE	KIRLOSKAR/ JAKSON/ MAHINDRA	Rs.	Rs.
03	62.5/63 KVA DG SET MOUNTED ON WHEELED TROLLY WHICH CAN BE TRANSFERABLE BY TRACTOR VEHICLE	KIRLOSKAR/ JAKSON/ MAHINDRA	Rs.	Rs.
04	100 mm DURABLE SUCTION PIPE	TEXMO BRAND (PER METER)	Rs.	Rs.

Seal & Signature of the  
Quotationer/Tenderer

**CERTAIN TERMS & CONDITIONS TO BE FOLLOWED BY THE BIDDERS IN STRICT MODE**

- THE QUOTATIONER SHALL SUBMIT THE PHOTO COPY OF PAN & GST ALONGWITH TAX RETURN COPY WITH THEIR PROPOSALS.
- THE QUOTATIONER SHALL SUBMIT THE PHOTO COPY OF REGISTRATION CERTIFICATE OF MSME/FROM ANY GOVT. REGISTRATION DEPT WITH THEIR PROPOSALS.
- THE QUOTATIONER SHALL SUBMIT THE PHOTO COPY OF ASSIGNMENT OR ORDER THEY HAVE GOT FOR SUPPLY & INSTALLATION OF THE SIMILAR WORK FROM ANY GOVT/PRIVATE SECTOR AS A PROOF OF EXPERIENCE WITH THEIR PROPOSALS.
- THE QUOTATIONER SHALL FURNISH THE QUOTED PRICE FOR PER SINGLE UNIT AGAINST TO THAT COMPANY MRP AMOUNT (INCLUDING GST) AS PER ANNEXURE-III.
- THE QUOTATIONER SHALL SUBMIT THE COMPANY AUTHORIZATION CERTIFICATE THEY HAVE ACQUIRED FOR THE ABOVE SCHEDULE BRANDS.
- THE QUOTATIONER SHALL SUBMIT THE DETAIL PERIOD OF WARRENTY TOWARDS THE CONSUMABLES THEY HAVE TO SUPPLY AGAINST EACH ITEM AS PER THE SPECIFICATION OF THE COMPANY IN WRITTEN & THAT SHOULD BE GET EFFECTED FROM THE DATE OF SATISFACTORY INSTALLATION.
- THE QUOTATIONER SHALL SUBMIT THE PAPER COST OF RS.5,000/- IN SHAPE OF BC/DD IN THE NAME OF EXECUTIVE OFFICER, BALASORE MUNICIPALITY WITH THEIR QUOTATION AS SPECIFIED AT OPWD CODE WHICH IS (NON-REFUNDABLE). NO ACKNOWLEDGEMENT SHALL BE ISSUED FOR THE SAME.
- THE QUOTATIONER SHALL SUBMIT THE EMD OF RS.50,000/- IN SHAPE OF BC/DD IN THE NAME OF EXECUTIVE OFFICER, BALASORE MUNICIPALITY WITH THEIR QUOTATION (REFUNDABLE AFTER THE COMPLETION OF THEIR PRIMARY WARRENTY PERIOD & SUBJECT TO COMPLETION OF AUDIT OF THAT PARTICULAR FINANCIAL YEAR). EMD OF UN-SUCCESSFUL BIDDER SHALL BE REFUNDED AFTER DECLARATION OF QUALIFYING BIDDER MAINTAINING DUE PROCESS.
- SD @ 05% WILL BE DEDUCTED FROM THEIR PAYMENT BILLS THAT TO BE REFUNDED AFTER THE COMPLETION OF THEIR PRIMARY WARRENTY PERIOD SPECIFIED BY THE COMPANY & SUBJECT TO COMPLETION OF AUDIT FOR THAT PARTCULAR FINANCIAL YEAR.
- IF ANY DISCRIPENCIES ARISES THIS SHOULD BE COMPENSATED/RECOVERED FROM THEIR DEPOSITS.
- THE QUOTATIONER SHALL ENSURE THE COMPLETE MAINTENANCE AGAINST THE COMMODITY SUPPLIED BY THEM AND SUPPORT IN THE ISSUES OF TECHNICAL AND OTHER ISSUES IF ARISES AS AND WHEN REQUIRED DURING WARRENTY PERIOD IN WRITTEN.
- NO TRANSPORTATION OR OTHER MISCELLANEOUS CHARGES SHOULD NOT BE PAID EXTRA BY THE ESTABLISHMENT.
- ANY BREAKAGE OR DEFECTION FOUNDED DURING INSTALLATION SHALL BE COMPENSATED BY THE FIRM ITS SELF ON THAT VERY DAY.
- DEFECTION UNDER TECHNICAL VIEW OTHER THAN DEFECTION OF SPARES/CONSUMABLES DURING THE PERIOD OF WARRENTY SHALL BE BORN BY THE FIRM ON THE DAY ITSELF IN COMPLETE MANNER AT ITS OWN COST.
- THE SELECTED FIRM SHALL MAINTAIN EACH & EVERY ASPECT & SHOULD MAINTAIN THE QUALITY AND QUANTITY OF THE COMMODITY AS SPECIFIED ALONGWITH TIT & BIT.
- ANY DEVIATION FOUND BY THE UNDERSIGNED THE BILLS/EMD/SD MAY BE PUT UNDER HELD UP TILL THE COMPLETION OF THE COMPLIANCES.
- THE CONFIGURATION & SPECIFICATION OF THE CONSUMABLES AS SPECIFIED TO BE FOLLOWED STRICTLY.
- AFTER COMPLETE SUPPLY/INSTALLATION IN FULL PHASE OPERATIONAL OF THE COMMODITY SHALL BE MADE TEST CHECK BY THE MUNICIPAL ENGINEER IN TECHNICAL POINT OF VIEW.
- CIVIL WORKS IF REQUIRED FOR INSTALLATION SHALL BE THE REPONSIBILITY OF THE PRINCIPAL AUTHORITY.
- THE BIDDER MUST PROVIDE AN UNDERTAKING FOR NOT BEING BLACK LISTED.

  
Executive Officer,  
Balasore Municipality.

**Page No-08**

- PAYMENT SHALL BE RELEASED THROUGH NEFT/RTGS TO THE ACCOUNT OF THE FIRM AFTER COMPLETION OF THE WORK DULY CERTIFIED BY THE TECHNICAL STAFF OF THIS ESTABLISHMENT (NOT BELOW THE RANK OF EXECUTIVE ENGINEER)
- ANNEXURE-I, ANNEXURE-II & ANNEXURE-III TO BE FILLED & FOLLOWED PROPERLY
- INCOMPLETE SUBMISSION OF PAPER & DOCUMENTS IN THE PROPOSALS SHOULD BE OUT RIGHT REJECTED.
- THE QUOTATIONER SHOULD SUBMIT ISO 9001:2015 CERTIFICATE IF AVAILABLE.
- THE QUOTED RATE SHOULD NOT BE EXCEED TO ITS MRP VALUE.

  
Executive Officer,  
Balasore Municipality.

Memo No. 138 /

Dt. 04-01-24 /

Copy submitted to Gen. & Misc Section, Collectorate, Balasore, to affix the same in their notice board for wide publication.

  
Executive Officer,  
Balasore Municipality.

Memo No. 139 /

Dt. 04-01-24 /


Copy submitted to Sub-Collector Office, Balasore to affix the same in their notice board for wide publication.

  
Executive Officer,  
Balasore Municipality

Memo No. 140 /

Dt. 04-01-24 /

Copy submitted to DIPRO, Balasore to affix the same in their notice board for wide publication.

  
Executive Officer,  
Balasore Municipality.

Memo No. 141 /

Dt. 04-01-24 /


Copy submitted to NIC, Balasore to upload the matter in official website of Balasore <http://baleswar.nic.in> for wide Publication.

  
Executive Officer,  
Balasore Municipality.

Memo No. 142 /

Dt. 04-01-24 /

Copy to the Office Notice Board, Balasore Municipality for wide Publication.

  
Executive Officer,  
Balasore Municipality.