

OFFICE OF THE PRINCIPAL

ODISHA ADARSHA VIDYALAYA, JAMUDIHA, NILGIRI, BALASORE

SHORT TENDER CALL NOTICE

Notice No: 56

Date: 03-02-2025

PROCUREMENT OF FURNITURE FOR ODISHA ADARSHA VIDYALAYA, JAMUDIHA, NILGIRI, BALASORE

Sealed Tender (Technical & Financial) are invited from the intended Registered Firms/Authorized Dealers/ Wholesalers/Govt. Stores/Agencies/Manufactures/ Companies (with GST registration having valid GSTIN) with experience certificate about supply of furniture items to any Govt./Govt. undertaking office/ institution. The tender documents should reach the office of the principal, Odisha Adarsha Vidyalaya, Jamudiha, Nilgiri, Balasore pin no-756040 by-14-02-2025 till 5PM through speed post /Registered post only. The envelope should be superscribed as "Tender for supply of furniture to OAV Jamudiha, nilgiri, Balasore". The tender will be opened on 15-02-2025. at 11AM in the office Chamber of the principal, OAV Jamudiha, Nilgiri, Balasore by the purchase Committee constituted for the purpose. Any tender paper received after the due date & time will be summarily rejected. Tender details regarding items, quantities, specification, terms & condition and format for submission of tender may be availed at concerned OAV point.

The Authority reserves the right to reject any or all the tender without assigning any reason thereof.

H. Mandal
Principal 03-2-25

PRINCIPAL
ODISHA ADARSHA VIDYALAYA,
JAMUDIHA, NILGIRI

Memo- 57

Date- 03-02-2025

Copy submitted to the notice board of Collector, Balasore, District Education Office, Balasore, Block Development Office, Nilgiri, Block Education Office, Nilgiri for information and necessary action.

H. Mandal
Principal 02-2-25

PRINCIPAL
OAV Jamudiha, Nilgiri
ODISHA ADARSHA VIDYALAYA,
JAMUDIHA, NILGIRI

ODISHA ADARSHA VIDYALAYA, JAMUDIHA, NILGIRI, BALASORE

SL.NO	ITEMS	QUANTITY	UNIT COST (In Rs)	TOTAL COST (In Rs.)	REMARKS
1	Dual Desk Bench	40	9000.00	360000.00	
2	Visitor chair	6	2000.00	12000.00	
3	Almirah	2	15000.00	30000.00	

TERMS AND CONDITIONS

1. The Bidders should submit both the technical and financial bid in separate sealed envelope mentioned in the top of the envelope as "Financial Bid" and "Technical Bid" and put the said two envelopes in one envelope with superscription " TENDER FOR SUPPLY OF FURNITURE TO OAV JAMUDIHA, NILGIRI"
2. The selected bidder must delivery and installs all the items at the school point.
3. The selected bidder shall be responsible to provide on-site warranty and maintenance support for the supplied items for a period of minimum three years.
4. No conditional bids shall be entertained and the same will be out rightly rejected at the first instance.
5. Quality is being the essential for the procurement of the articles, the committee reserves the right to select the items verifying the specification and brand of the articles.
6. The committee reserves the right that it may not procure all the items from the L1 considering the quality and brand value of the articles.
7. The price quoted by the bidders shall not exceed the unit cost prescribed by the OAVS inclusive of all taxes and transport expenditure.
8. The items should be as per the specification enclosed in the advertisement.
9. Preferences will be given to the branded items like Godrej and Nilkamal etc.
10. The authority reserves the right to reject all the bids or terminate the entire tender process without assigning any reason thereof.
11. The technical bid should contain following documents;
 - Firm registration certificate
 - GST registration certificate
 - Copy of PAN
 - Copy of up to dated GST return
 - Local address details of the firm
 - Experience certificate if any
12. The Financial Bid should contain the price of items in prescribed format.

Format For Financial Bid.

SI No.	Name of the items.	Model	Specification	Unit	Unit cost inclusive of all taxes.	Remarks
1	2	3	4	5	6	7


13. Those who do not qualified in technical bid, the bid will be cancelled without opening the financial bid.

ODISHA ADARSHA VIDYALAYA JAMUDIHA, NILAGIRI

• Dual Desk Bench Specification

1. Material of Desk Top-18 mm thick pre-laminated Particle Board of E1-P2 grade
2. Material of Support Structure or Side Pannel-25.4 mm X 1.2 mm thick round ERW tubes - 31.8 mm X 1.2 mm thick round ERW tubes and 28.6 mm X 1.2 mm thick round ERW tubes (As per IS : 7138/ Latest) welded together and hooks of 2 mm thick MS sheet with duly epoxy polyester powder coated min 40 - 45 microns thickness
3. Height of Desk Top in mm:707
4. Width of Desk Top in mm:1100
5. Depth of Desk Top in mm-330
6. TYPE OF DESKING-INTEGRATED DESK CUM SEATING WITH SHELF / STORAGE UNDER DESK
7. Desking Configuration-TWO SEATER
8. Length of Desking, Seating and Backrest in mm: 1100
9. Material of Seat and Backrest:18 mm thick pre-laminated Particle Board of E1-P2 grade
10. Material of Support Structure: Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum
11. Material of Seat Cushion: WITHOUT CUSHION, Width of Seating in mm-1100, Height of Seat in mm-427
12. Width of backrest in mm - 1100Back Support for Seating of Same material as Seating- Provided without cushion
13. Desk top finishing-All sides Edge to be banded with PVC tape of 2 mm thick with help of hot melt glue, **Color-Top Blue, Top Boarder-white**. OEM of offered product is ISO 9001:2015,ISO 14001:2015,ISO 18001:2007/ISO 45001:2018, GREENGUARD, Indoor Advantage Gold, GREEN PRO, certified. Colour: As per OAV colour.

Specification of Steel wall Almirah:



1. Technical specification of Almirah steel Generally conforming to BIS specification IS: 3312:2021 (with latest amendment), Type of Almirah steel Almirah Steel wardrobe (having cloth hanging provision)
2. Construction type Welded, Installation Free standing, Pedestal Yes, Pedestal fitted with 3 mm Teflon Bush, Pedestal height (± 5 mm) 125 mm, Locker required Yes, Door type Hinged, Number of doors 2, Number of hinges (for each door) 3, Door stiffener up to full door height provided Yes, Mirror fitted No mirror, Number of drawers required No Drawer, Shelves required Adjustable, Number of shelves 2, Uniformly distributed load (UDL) for shelves 60 Kgs. Wardrobe by style Full size, Tie Hanger No,
3. Colour of finish Prince Grey, Steel sheet material CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment), Sheet rounds and flats N.A, Screws Conforming to IS 1365, Hanging rod material Round ERW tube conforming to IS 7138, Mirror frame made out of (if provided) No mirror frame, Tie hanger made out of Mild steel sheets, Stiffener material MS sheet, Almirah height(excluding the height of pedestal) ± 5 mm 1980 mm, Almirah width ± 5 mm 910 mm, Almirah depth ± 5 mm 480 mm, Locker inside height ± 5 mm 200 mm, Locker inside width ± 5 mm Full size of almirah width, Locker inside depth ± 5 mm As per suitability of almirah depth, Drawer height N.A
4. Drawer width N.A, Drawer depth N.A, Mirror sizes N.A, Shelves lipped flange 35 mm, Side sheet thickness 0.8 mm, Back sheet thickness 0.8 mm, Top sheet thickness 0.8 mm, Bottom sheet thickness 0.8 mm, Shelves sheet thickness 0.8 mm, Shelves supporting bracket thickness 1.6 mm, Door metal stiffener thickness 0.8 mm, Pedestal sheet thickness 0.8 mm, Hinges sheet thickness 1.25 mm (double folded),
5. locker door sheet thickness 0.9 mm, Drawer sheet thickness N.A, Hanging rod wall thickness 1.0 mm,
6. Hanging rod diameter ± 2 mm 20 mm, Steel Almirah lock/locker lock Six lever lock, Material of lock MAZAK Zinc plated, Duplicate keys (for each) Yes, Keys material (for each lock) Keys made of MAZAK/ZAMAK having nickel plated finish, Steel Almirah locking mechanism A three-way bolting device controlled by a lock, Door handle material for almirah lock Zinc based alloy, Handle material for locker Zinc based alloy, Lockers locking mechanism Two-way bolting system controlled by the lock
7. Drawer lock 4 levers lock, All the mild steel parts shall be given phosphating treatment Conforming to Class c of IS 3618, The process of application of phosphate coating Accordance with IS 6005, Powder coating With 50 micron thickness minimum, OEM of offered product is ISO 9001:2015, ISO 14001:2015, ISO 18001:2007/ISO 45001:2018, GREENGUARD, Indoor Advantage Gold, GREEN PRO, GRIHA certified Warrant:1year,

Specification of Visitor Chair:



1. Chair Type: Non-Revolving and Non Tilting Chair with Armrest.
2. Chair Frame Type: Cantilever, Armrest type: Continuous armrest
3. Seat type: Padded. Backrest type: Padded.
4. Frame Material Configuration: One piece. Frame Material: Steel Tube (ERW quality) conforming to IS:1161
5. Seat materials: Moulded Plywood, Seat material thickness:20mm. GSM of seat Cover:390GSM.
6. Backrest material: Moulded plywood, Backrest upholstered with Leatherette. Seat Depth:390mm, Seat Width:460mm, Seat height from flom seat:300mm, Paint Type: Epoxy. Seat Fitted: Over flat size in depth-wish of the frame on both sides with minimum 3 screws., Backrest Fitted: By round head screws 3 nos on each side. Armrest Fitted With round steel screws 3 Nos. (minimum) on each side.
7. Frame Material Configuration - One piece Frame material-Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment), The shape of tubular section of frame-Round Section Size (Diameter/Sides) of frame-25 mm Frame section wall thickness-2mm armrest material-Injection Moulded Polypropylene Armrest material thickness-20 mm Armrest Padded with-NA, Armrest upholstered with-NA,OEM of offered product is ISO 9001:2015,ISO 14001:2015,ISO 45001:2018 certified.